

D - ARMCHAIR

Technical Data Sheet





D - ARMCHAIR

Designer: Setsu & Shinobu Ito

D-Armchair is designed to provide the comfort and coziness of a home in lounge areas and executive rooms. It stands out with its compact structure and curvilinear surfaces.

DESCRIPTIONS

FRAME - UPHOLSTERY

The frame is made of polyurethane molded foam with a density of 55 kg/m³ shaped in special molds. Metal tubes and propeller shafts are used in the polyurethane inner frame.

WOODEN BASE

Wooden Base is manufactured with 2nd class kiln-dried ash wood cladding on a 40x10x1.5 mm metal tube base construction.

The connection of the base with the polyurethane part is manufactured from a 5 mm thick metal sheet.

Felt base nail tack made of rigid plastic material are located under the bottom of the product that is in contact with the ground.

Double coat polyurethane finish with flat varnish or lacquered paint on top of triple coat of polyurethane filling varnish are applied on the wooden surface to provide protection against external factors and for enhancing durability.

ACCESSORY

Glides: A felt nail glides made of hard plastic material is used where the product comes into contact with the ground.

AREA OF USE

D-Armchair is designed for lobbies, office rooms and home-type interior spaces.

DESIGNER / COLLECTION

D-Armchair is designed by Setsu & Shinobu ITO. It was designed for 2022/2023 collection.

MATERIAL LIBRARY

Scan the QR code below to access Zivella's wood, metal, fabric and faux leather library.




Material Catalog




D-ARMCHAIR

MEASUREMENTS



BRK2060 - D-ARMCHAIR

Parcel Measurements



Unit of measurement is millimeters.